

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO. CONFIRMATION NO.	
10/799,526	03/11/2004	Aram Lindahl	APL1P306/P3270	8495
22434 BEYER WEA	7590 12/13/200 VER LLP	EXAMINER		
P.O. BOX 702	250	OLANIRAN, FATIMAT O		
OAKLAND, CA 94612-0250			ART UNIT	PAPER NUMBER
			4178	
			MAIL DATE	DELIVERY MODE
			12/13/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No.	Applicant(s)	
10/799,526	LINDAHL ET AL.	
Examiner	Art Unit	
FATIMAT O. OLANIRAN	4178	

000 4 4 0	· · · · · ·		
Office Action Summary	Examiner	Art Unit	
	FATIMAT O. OLANIRAN	4178	
The MAILING DATE of this communication app	pears on the cover sheet with the o	correspondence a	ddress
Period for Reply A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D. Extensions of time may be azvallable under the provisions of 37 CFR 1.1 after SSI (6) MONTH'S from the mailing date of the communication. If INO period for reply is specified above, the maximum statutory period. Failure to reply within the soit or reshorded period for reply will. by statute Any reply received by the Office later than three months after the maining earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tirt will apply and will expire SIX (6) MONTHS from 1, cause the application to become ABANDONE	N. mely filed the mailing date of this ED (35 U.S.C. § 133).	•
Status			
Responsive to communication(s) filed on			
	action is non-final.		
3) Since this application is in condition for allowar	nce except for formal matters, pro	secution as to th	e merits is
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.	
Disposition of Claims			
4) Claim(s) 1-29 is/are pending in the application			
4a) Of the above claim(s) is/are withdraw			
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-29</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction and/o	r election requirement.		
	·		
Application Papers			
9) The specification is objected to by the Examine			
10)⊠ The drawing(s) filed on 11 March 2004 is/are:		-	ır.
Applicant may not request that any objection to the			
Replacement drawing sheet(s) including the correct		-	
11)☐ The oath or declaration is objected to by the Ex	caminer. Note the attached Office	Action or form P	TO-152.
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)-(d) or (f).	
a) ☐ All b) ☐ Some * c) ☐ None of:			
 Certified copies of the priority document 			
Certified copies of the priority document			
Copies of the certified copies of the prior	rity documents have been receive	ed in this Nationa	l Stage
application from the International Bureau			
* See the attached detailed Office action for a list	of the certified copies not receive	∌d.	
Attachment(s) 1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO.413)	
Notice of Praftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail D	ate	
3) N Information Displaceure Statement(s) (PTO/SE/08)	5) Notice of Informal F	atent Application	

Paper No(s)/Mail Date 7/11/2005/.

Page 2

Application/Control Number: 10/799,526

Art Unit: 4178

DETAILED ACTION

Claim Rejections - 35 USC § 102

 The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- Claims 1-6, 9, 11, 18-21 and 23 are rejected under 35 U.S.C. 102(e) as being anticipated by Yoshino (2004/0071299).
- Claim 1, Yoshino discloses, a computer-implemented method for approximating n-band graphic equalizer settings for a media player (paragraph 4 line 1-4) using not more than m bands, where m is less than n, (paragraph 14, line 7-10, m band: fixed level band, n band: variable level band) said method comprising:
- (a) classifying at least a plurality of the equalizer setting values with respect to characteristics of at least a portion of a frequency response shape (paragraph 14, line 9-13) of at least one of a plurality of predetermined filter types (paragraph 14, line 7-10, filter types: fixed-level and variable); and
- (b) determining parameters for one or more filters of the at least one of the plurality of predetermined filter types used in classifying the equalizer settings (paragraph 47. line 6-10).

Art Unit: 4178

Claim 2, Yoshino discloses a computer-implemented method wherein said classifying (a) operates to classify the equalizer setting values with respect to a plurality of the predetermined filter types (paragraph 47, line 6-10), and wherein said determining (b) determines the parameters for the one or more filters of the plurality of the predetermined filter types (paragraph 47, line 6-10).

Claim 3, Yoshino discloses a computer-implemented, wherein said method further comprises: (c) limiting the number of the one or more filters in the classification to a maximum number of filters, the maximum number being not more than m (paragraph 61, line 2-8, m=1).

Claim 4, Yoshino discloses a computer-implemented method wherein n = 10 (paragraph 61, line 2-8, n=10).

Claim 5, Yoshino discloses a computer-implemented method as recited in claim 3, wherein said limiting (c) operates to limit the plurality of the predetermined filter types in the classification to a maximum of three (paragraph 61, line 2-8).

Claim 6, Yoshino discloses, wherein said method further comprises:

(c) assigning a priority to each of the one or more filters in the classification (paragraph 61, line 5-8); and (d) limiting the number of the one or more filters in the classification to a maximum number of filters based on the priority assigned

Application/Control Number: 10/799,526
Art Unit: 4178

to each of the plurality of the predetermined filter types in the classification, the maximum number being not more than m (paragraph 61, line 5-8 and paragraph 62, line 1-4).

Claim 9, Yoshino discloses a computer-implemented wherein the classification approximates the equalizer setting values through use of a minimum number of the predetermined filter types (paragraph 62, line 1-4).

Claim 11, Yoshino discloses wherein the filters are digital filters (paragraph 55, line 1-4).

Claim 18, Yoshino discloses a computer readable medium including at least computer program code (paragraph 16, line 1-4) for approximating n-band graphic equalizer settings for a computing device using less than n bands, said computer readable medium comprising:

computer program code for classifying at least a plurality of the equalizer setting values with respect to characteristics of at least a portion of a frequency response shape of at least one of a plurality of predetermined filter types; and computer program code for determining parameters for one or more filters of the at least one of the plurality of predetermined filter types used in classifying the equalizer settings (paragraph 16, line 6-16).

Art Unit: 4178

Claim 19 Yoshino discloses, wherein said computer program code for classifying operates to classify the equalizer setting values with respect to a plurality of the predetermined filter types, and wherein said computer program code for determining operates to determine the parameters for the one or more filters of the plurality of the predetermined filter types (paragraph 16, line 6-16).

Claim 20, Yoshino discloses wherein said computer readable medium further comprises: computer program code for limiting the number of the one or more filters in the classification to a maximum number of filters (Fig. 11 paragraph 182 line 1-3).

Claim 21, Yoshino discloses wherein said computer readable medium further comprises: computer program code for assigning a priority to each of the one or more filters in the classification; and computer program code for limiting the number of the one or more filters in the classification to a maximum number of filters based on the priority assigned to each of the plurality of the predetermined filter types (paragraph 16, line 6-16) in the classification, the maximum number being less than n (Fig. 11, paragraph 182, line 1-3, n: fixed level band).

Claim 23, Yoshino discloses a system for approximating an n-band graphic equalizer for use on a device having limited computational resources or computational time, said system comprising: means for classifying at least a plurality of equalizer setting values of the n-band graphic equalizer with respect to characteristics of at least a portion of a Application/Control Number: 10/799,526 Art Unit: 4178

frequency response shape of at least one of a plurality of predetermined filter types; and means for determining parameters for one or more filters of the at least one of the plurality of predetermined filter types used in classifying the equalizer settings (paragraph 16, line 1-16).

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- Claims 23-26 are rejected under 35 U.S.C. 102(b) as being anticipated by Ecklund et al (5524290).

Claim 23, Ecklund discloses a system for approximating an n-band graphic equalizer for use on a device having limited computational resources or computational time, said system comprising: means for classifying at least a plurality of equalizer setting values of the n-band graphic equalizer with respect to characteristics of at least a portion of a frequency response shape of at least one of a plurality of predetermined filter types; and means for determining parameters for one or more filters of the at least one of the plurality of predetermined filter types used in classifying the equalizer settings (col. 3, line 27-35).

Claim 24, Ecklund discloses wherein said system is an embedded system (col.2, line 57-60)

Claim 25, Ecklund discloses wherein the system is a portable computing device (col. 2, line 52-56).

Page 7

Application/Control Number: 10/799,526

Art Unit: 4178

Claim 26, Ecklund discloses wherein the system is a hand-held media player (col. 2 line 14-17).

Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 7-8, 12-17 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshino (2004/0071299) in view of Wiser et al (7016746).
 Claim 7 analyzed with respect to claim1, Yoshino does not disclose a computer-implemented wherein the predetermined filter types in the classification are chosen from the group consisting of: a low-shelf, a high-shelf and a parametric.

Wiser discloses disclose a computer-implemented wherein the predetermined filter types in the classification are chosen from the group consisting of: a low-shelf, a high-shelf and a parametric (col. 8 line 50-55). Therefore it would be obvious to one of ordinarily skilled in the art at the time the invention was made to modify the graphic equalizer of Yoshino with the shelving filters of Wiser in order to provide signal boosts or cuts for a desired frequency range.

Claim 8 analyzed with respect to claim 7 and claim 1, Yoshino in view of Wiser disclose

Art Unit: 4178

computer-implemented method, wherein the predetermined filter types in the classification include not more than one low-shelf and not more than one high-shelf (Wiser: col. 8 line 50-55).

Claim 12, Yoshino does not disclose wherein the media player is a hand-held media player. Wiser discloses wherein the media player is a hand-held media player (col. 1 line 48-49). Therefore it would be obvious to one of ordinary skill in the art at the time the invention was made to modify the media system of Yoshino with the CD player of Wiser in order to have equalized digital music.

Claim 13, Yoshino discloses a computer-implemented method for approximating n-band graphic equalizer settings for a media player using less than n filters, said method comprising (paragraph 4 line 1-4):

- (c) examining the equalizer setting values other than the first set for approximate correlation to at least a portion of a frequency response of a parametric type filter (paragraph 61, line 2-8);
- (d) selecting the parametric type filter if a second set of the equalizer settings approximately correlate (paragraph 61, line 2-8); and
- (e) determining parameters for the shelf type filter and the parametric type filter, (paragraph 64, line 1-5).

Yoshino does not disclose (a) examining the equalizer setting values for approximate correlation to at least a portion of a frequency response of a shelf type filter;

Application/Control Number: 10/799,526 Art Unit: 4178

(b) selecting the shelf type filter if a first set of the equalizer setting values approximately correlate; wherein at least the shelf type filter and the parametric type filter are used to approximate the n-band graphic equalizer settings for the media player.

Wiser discloses (a) examining the equalizer setting values for approximate correlation to at least a portion of a frequency response of a shelf type filter;

(b) selecting the shelf type filter if a first set of the equalizer setting values approximately correlate (col. 8 line 41-47); wherein at least the shelf type filter and the parametric type filter are used to approximate the n-band graphic equalizer settings for the media player (col. 8 line 50-54). Therefore it would be obvious to one of ordinarily skilled in the art at the time the invention was made to modify the graphic equalizer of Yoshino with the shelving filters of Wiser in order to provide signal boosts or cuts for a desired frequency range.

Claim 14 analyzed with respect to claim 13, Yoshino further discloses, wherein said method approximates the n-band graphic equalizer settings for the media player using not more than m of the filters (paragraph 61, line 2-8, m=1).

Claim 15 analyzed with respect to claim 13, Yoshino further discloses wherein the filters are digital filters (paragraph 55, line 1-4).

Claim 16 analyzed with respect to claim 13, Yoshino discloses wherein the equalizer,

Art Unit: 4178

settings within the first set are adjacent one another, and wherein the equalizer settings within the second set are adjacent one another (paragraph 61, line 2-8, variable filters are adjacent tone another).

Claim 17 analyzed with respect to claim 13, Wiser further discloses wherein the media player is a hand-held media player (col. 1 line 48-49).

Claim 22 analyzed with respect to claim 18, Yoshino does not disclose wherein the predetermined filter types in the classification are chosen from the group consisting of: a low-shelf, a high-shelf and a parametric.

Wiser discloses wherein the predetermined filter types in the classification are chosen from the group consisting of: a low-shelf, a high-shelf and a parametric (col. 8 line 50-55). Therefore it would be obvious to one of ordinarily skilled in the art at the time the invention was made to modify the graphic equalizer of Yoshino with the shelving filters of Wiser in order to provide signal boosts or cuts for a desired frequency range.

 Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshino (2004/0071299) in view of Montag et al. (2004/0032959).

Claim 10, Yoshino does not disclose wherein the predetermined filter types are second order recursive filters.

Montag discloses wherein the predetermined filter types are second order recursive filters (paragraph 8, line 1-3).

Art Unit: 4178

Therefore it would be obvious to one ordinarily skilled in the art at the time the invention was made to modify the graphic equalizer of Yoshino with the recursive filters of Montag to ensure spectrally balanced sound as taught by Montag (paragraph 7, line 9).

Claim 27-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over
 Wiser et al (7016746) in view of Yoshino (2004/0071299).

Claim 27, Wiser discloses a media device comprising: a data store for storing media data received from a host computer (col. 1 line 44-49),

Wiser does not discloses the media data including media content and equalizer setting information for at least one media item; and a processor operatively connected to said data store, said processor operates to acquire equalizer setting values based on the equalizer setting information, to approximate the equalizer setting values with a reduced filter order approximation, and to present the media content at said media player in accordance with the reduced filter order approximation.

Yoshino discloses the media data including media content and equalizer setting information for at least one media item (paragraph 16, line 1-5); and a processor operatively connected to said data store, said processor operates to acquire equalizer setting values based on the equalizer setting information, to approximate the equalizer setting values with a reduced filter order approximation, and to present the media content at said media player in accordance with the reduced filter order approximation (paragraph 16, line 6-16). Therefore it would be obvious to one ordinarily skilled in the

Art Unit: 4178

art at the time the invention was made to modify the computer system of Wiser with the graphic equalizer of Yoshino in order to be able to store and send quality digital audio.

Claim 28 analyzed with respect to claim 27, Wiser further discloses wherein said data store comprises a hard drive that stores the media data (col. 1 line 45-47).

Claim 29 analyzed with respect to claim 27, Wiser further discloses wherein said media device is a hand-held media player (col. 1 line 48-49).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to FATIMAT O. OLANIRAN whose telephone number is (571)270-3437. The examiner can normally be reached on M-F Alt F off 8:30-5 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hai Tran can be reached on 571-272-7305. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Art Unit: 4178

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

FO

12/06/2007

/Hai Tran/ Supervisory Patent Examiner, Art Unit 4178